

## Chapter Two

---

### MULTIPLE CHOICE

1. What type of error produces incorrect results but does not prevent the program from running?
  - a. syntax
  - b. logic
  - c. grammatical
  - d. human

ANS: B

2. The program development cycle is made up of \_\_\_\_\_ steps that are repeated until no errors can be found in the program.
  - a. five
  - b. four
  - c. three
  - d. six

ANS: A

3. What is the informal language that programmers use to create models of programs that have no syntax rules and are not meant to be compiled or executed?
  - a. Flowchart
  - b. Algorithm
  - c. Code
  - d. Pseudocode

ANS: D

4. A(n) \_\_\_\_\_ is a diagram that graphically depicts the steps that take place in a program.
  - a. flowchart
  - b. algorithm
  - c. code
  - d. pseudocode

ANS: A

5. The \_\_\_\_\_ function reads a piece of data that has been entered at the keyboard and returns that piece of data, as a string, back to the program.
  - a. input
  - b. output
  - c. eval\_input
  - d. string\_input

ANS: A

6. The line continuation character is a \_\_\_\_\_.  
a. #  
b. %  
c. &  
d. \

ANS: D

7. Which mathematical operator is used to raise five to the second power in Python?  
a. /  
b. \*\*  
c. ^  
d. ~

ANS: B

8. In a `print` statement, you can set the \_\_\_\_\_ argument to a space or empty string to stop the output from advancing to a new line.  
a. stop  
b. end  
c. separator  
d. newLine

ANS: B

9. After the execution of the following statement, the variable `sold` will reference the numeric literal value as a(n) \_\_\_\_\_ data type: `sold = 256.752`  
a. int  
b. float  
c. str  
d. currency

ANS: B

10. After the execution of the following statement, the variable `price` will reference the value \_\_\_\_\_.  
`price = int(68.549)`  
a. 68  
b. 69  
c. 68.55  
d. 68.54

ANS: A

11. The output of the following print statement is:  
`print 'I\'m ready to begin'`  
a. Im ready to begin  
b. I\'m ready to begin  
c. I'm ready to begin  
d. 'I\'m ready to begin'

ANS: C

12. If value1 is 2.0 and value2 is 12, what is the output of the following command?

```
print(value1 * value2)
```

- a. 24
- b. value1 \* value2
- c. 24.0
- d. 2.0 \* 12

ANS: C

13. The \_\_\_\_\_ built-in function is used to read a number that has been typed on the keyboard.

- a. input()
- b. read()
- c. get()
- d. keyboard()

ANS: A

14. What is the output of the following print statement?

```
print('The path is D:\\sample\\test.')
```

- a. 'The path is D:\\sample\\test.'
- b. The path is D:\\sample\\test.
- c. The path is D\\sample\\test.
- d. The path is D:\sample\test.

ANS: D

15. What symbol is used to mark the beginning and end of a string?

- a. Slash
- b. Asterisk
- c. Quotation
- d. Comma

ANS: C

## TRUE/FALSE

1. True/False: Comments in Python begin with the # character.

ANS: T

2. True/False: When using the camelCase naming convention, the first word of the variable name is written in lowercase letters and the first character of the second and subsequent words are written in uppercase letters.

ANS: T

3. True/False: According to the behavior of integer division, when an integer is divided by an integer, the result will be a float.

ANS: F

4. True/False: Python allows programmers to break a statement into multiple lines.

ANS: T

5. True/False: Python formats all floating-point numbers to two decimal places when outputting using the `print` statement.

ANS: F

6. True/False: A flowchart is a tool that programmers use to design programs.

ANS: T

7. True/False: In Python, math expressions are evaluated from left to right, no matter what the operators are.

ANS: F

8. True/False: Computer programs typically perform three steps: Input is received, some process is performed on the input, and output is produced.

ANS: T

9. True/False: In Python, `print` statements written on separate lines do not necessarily output on separate lines.

ANS: T

10. True/False: The `\t` escape character causes the output to skip over to the next horizontal tab.

ANS: T

## FILL IN THE BLANK

1. \_\_\_\_\_ are notes of explanation that document lines or sections of a program.

ANS: Comments

2. The `%` symbol is the remainder operator and it is also known as the \_\_\_\_\_ operator.

ANS: modulus

3. A(n) \_\_\_\_\_ character is a special character that is preceded with a backslash, appearing inside a string literal.

ANS: escape

4. The \_\_\_\_\_ specifier is a special set of characters that specify how a value should be formatted.

ANS: formatting

5. The result of the expression  $12.3 + 6.7$  is \_\_\_\_\_.

ANS: 19.0

6. When applying the .3f formatting specifier to the following number, 76.15854, the result is \_\_\_\_\_.

ANS: 76.159

7. A(n) \_\_\_\_\_ is a single task that the program must perform in order to satisfy the customer.

ANS: software requirement

8. A(n) \_\_\_\_\_ is a name that represents a value stored in the computer's memory.

ANS: variable

9. Python uses \_\_\_\_\_ to categorize values in memory.

ANS: data types

10. When the + operator is used with two strings, it performs string \_\_\_\_\_.

ANS: concatenation